



Savannah Sepia



Savannah Coffee



Savannah Cream



Savannah Dust



Savannah Honey



Savannah Milk



Savannah Sepia

MADE IN ITALY

PRODUCT TYPE

Rectified Color Body Porcelain
Digital Print Technology

STOCKED COLORS

Savannah Coffee
Savannah Cream
Savannah Dust
Savannah Honey
Savannah Milk
Savannah Sepia

STOCKED SIZE

8 x 40

RECOMMENDED USES

Commercial
Residential
Interior Floor
Interior Wall
Exterior Cladding
Fireplaces
Shower Walls
Steam Showers
Pool & Spa

DYNAMIC C.O.F. WET: ≥ 0.42

P.E.I. RATING: 4

FROSTPROOF: Yes

The Savannah Series is a rectified color body porcelain. It is the synthesis of digital technology applied to aesthetic research. Giving the appearance of visual perfection and the elegance of clean, welcoming ambiances, the Savannah Series reflects the soul of wood with its timeless beauty and silent perfect lines. Because this material is a porcelain product, minimal maintenance is required. Savannah Series is available in six neutral and versatile colors.

Piece to piece variation in shade or color are inherent in all fired clay products; therefore, it is recommended to mix tiles from several boxes at a time during installation to achieve the best range of color. When mixing sizes within a series, shade, texture and calibration differences should be expected. This series is suitable for residential and commercial applications.

For proper bonding, LFT/LHT mortar for large format and heavy tiles should be used when installing tiles with a dimensional length greater than 15 inches, and rectangular shape and plank tile, per industry standards. Proper thinset coverage is also necessary, and in some cases, back buttering of tile may be required.

When installing rectangular or square tiles 15 inches or longer with a staggered joint, it is recommended that the offset should not exceed 33%, unless otherwise specified by the manufacturer.



**PRODUCT CONTAINS
≥40% PRE-CONSUMER
RECYCLED CONTENT**

For packaging information, please contact your local Arizona Tile.

DCOF rating is a measurement of a tile's frictional resistance. It is the specifier's responsibility to ensure the chosen tile is appropriate for each interior and exterior application.

Please view actual material when making your selection, as the images on this page are only representative.

Revised 05/03/24